



Multi-site auditing & reporting solution for NHS cleaning audits



Auditor is a modern hospital cleaning audit solution designed for flexibility, easy of use, speed and accuracy.

The system is based on the 49+ elements and scoring methodology stipulated by the NHS National Specification.

The team at Ambinet has a wealth of experience in the development of auditing applications.

Auditor utilises the latest technology in mobile application design using the Android platform with cloud hosting.





A complete turn key solution for multiple sites within a Trust including mobile Tablets, solution hosting and complete Trust site setup for audit elements, rooms, functional areas and clinical divisions.

Ambinet provides Secure cloud services as part of the solution, which means; there is minimal Trust IT involvement and no need for Trust servers, which helps reduce a considerable cost, and allows a better support framework.

# Detailed reporting with reports added as required...

### By each functional area (Example)

			FUNCTIONAL SCORE	FACILITIES CLEANLINESS	CLINICAL CLEANLINESS	ESTATES CLEANLINESS
Risk	Functional Area	Location	Nov-15	Nov-15	Nov-15	Nov-15
	Day Surgery and Endo Unit	L1	98%	98%	100%	100%
Very night Kisk	BHOC Treatment Suite	L2	96%	99%	80%	100%
			97%	98%	90%	100%
	Ward 100	1st Floor	95%	96%	100%	93%
	Ward 200	2nd Floor	95%	96%	75%	97%
High Risk	Dental Department	1st Floor	97%	98%	100%	94%
	Urgent Care Centre	Ground Floor	95%	95%	94%	97%
	X-ray and Ultrasound	Ground Floor	98%	98%	100%	97%
			96%	96%	94%	96%
Significant	Day Assessment Unit	Ground Floor	100%	100%	100%	100%
Risk	Public Toilets	All Levels	94%	93%		100%
	-	•	97%	97%	100%	100%

#### By Element type (Example)





### Ceilings/Tiles by hospital

### By each clinical division (Example)

Appendix 3			FUNCTIONAL SCORE	FACILITIES CLEANLINESS	CLINICAL CLEANLINESS	ESTATES CLEANLINESS	
Risk	Functional Area	Location	Nov-15	Nov-15	Nov-15	Nov-15	
	A307 Emergency Dept	L1	95%	95%	90%	94%	
	A300 (Ward 300, Procedure Room)	L2	100%	100%	100%	100%	
Very High Risk	A520 (Dermatology, Surgery)	L3	97%	97%	100%	90%	
	Day Surgery and Endo Unit	L4	98%	98%	100%	100%	
	BHOC Treatment Suite	L5	96%	99%	80%	100%	
			97%	98%	94%	97%	



## Specific reports:

Audit report emailed after each audit direct form the Tablet

Monthly report available showing the hospital, areas and scores

Monthly report available showing the clinical divisions, areas and scores

## Analysis including:

Reporting which of the Estates elements have failed for a period of time

Functional Area trends

Ad hoc reporting on data stored as required

# Ability to extract data:

The ability to extract data, at any point in time, to feed into the Trust data warehouse for other reporting requirements. This is available at a suitable level of granularity to see individual room scores.

The ability to extract all reference / look-up data; for example a list of all the functional areas, a list of all the Rooms.

#### Report emailed to each area manager

			S HOSPITAL AUDITOR UDIOLOGY							
Date of Aud	lit:		29th March	2016						
Time starte	d / taken:		10:21:36/0	0:08:29						
Auditor:	itor: E			ELENOR HARRISON						
Ward / Depa	artment Mana	ger:	Louise Kiely							
Audit Refere	ence Number:		N/A							
Total Rooms	Rooms Audited	Achievable Score	Elements Audited	Elements Passed	Elements Failed	Elements N/A	Actual Score			

24

23

96%

14

#### BABY CHANGE/ASSIST W/C(Image 1)

97%

17

Exterior Glass - This is a comment for the audit element Estates - Ceiling light is not working Estates - Bed are floor tile is loose Estates - Curtain rail is loose and requires repair Ward staff - Beds covers on some beds had marks

Ward staff - Medical equipment around the bed requires cleaning

# Easy to use app with real benefits...

• • SAMSUNG २४ कि १६	
¥ त्रे 86 aud tor KITCHEN	% 🗍 17:-
ELAPSED TIMETOTALPASSEDFAILED00:05:46860	N/A 2
HIGH RISK	
	_
Bathroom hoists	N
Weighing scales	N
Drip stands	1
Other medical equipment NOT connected to a patient	1
Medical equipment connected to a patient,	1
Patient washbowls	1
Medical gas equipment	1
WARD STAFF COMMENTS ESTATES COMMENTS	
EVIDENCE 0 DONE	

Auditing app easy to use

NHS guidelines with 49+ elements

Flexible with adding/ updating additional rooms and functional areas

Ability to email completed audits & reports to staff

Add or update area manager names and emails

Photographic evidence

Signature capability for auditors

Extensive reporting

Enable multiple sites in a single Trust

Limitless audits with multiple users sharing tablets

Re-Audit any area

Retrieve previous audits and history

Independent of Wi-Fi during auditing

# Auditor web based admin system

	ambinet   auditor							abdullahmugh@gmail.com   Logout			
au	рітоі	r									
BIRMIN	GHAM CHILL	DREN'S HOS	PITAL   I	Dashboard							
Summa	ry	(						Audit Period			
Audit Peri	Audit Period					1016 - 31/03	2016	01/03/2016			
Number o	f audits (including r	re-audits) in this p	s period			3		to			
	No. of area audited Total rooms audited							31/03/2016			
Total room											
Outsta	inding - 95% +	Good - 86%	Attention - 80% + Inadequ		Inadequate < 80%	ate < 80% Issues Tracked		Audit Areas			
	0	2	0		0	0 0		BIRMINGHAM CHILDREN'S HOE •			
								View All			
	ES AUDIT							FACILITIES AUDIT			
Date 29/03/201	Function		Areas %	Auditor	Score %	Issues	Result	Go			
15/08/201			14	ELENOR HARRISON	93	0		Select Auditor			
02/03/201			50	ELENOR HARRISON	90	0		View ALL			
	W/W/WW						•	Go			
1											
								Track Issues			
								Veiw All			
								Go			



Accessible from anywhere in the Trust

View and manage audits and audit results for each month

Track audit failures with Additional comments

Email audit results to ward managers and infection control

Full history & reporting of every audit stored securely for ever

Full set up control including adding new elements, comments, audit areas & users

Switch ON/OFF elements according to their areas







34 Cliveland Street . Birmingham B19 3SH | T: 0121 359 1100 . 359 1012 www.ambinet.co.uk . info@ambinet.co.uk